
**THE CIVIL AVIATION REGULATIONS
– PART IV –
REGISTRATION AND MARKINGS**

ARRANGEMENT OF REGULATIONS

REGULATIONS

1. Citation.
2. Interpretation.
3. Applicability of these Regulations.

**PART I
REGISTRATION**

4. Applicability of Part I.
5. Restriction on Operation of Aircraft in Guyana.
6. Requirements for Application.
7. Requirement for Registration of Aircraft.
8. De-registration for Purpose of Registration.
9. Issue of Certificate of Aircraft Registration.
10. Requirements after Certification of Aircraft Registration.
11. Requirements for De-registration of an Aircraft.
12. Register of Civil Aircraft.
13. Conditions of Registration.

**PART II
NATIONALITY AND REGISTRATION MARKS**

14. Applicability of Part II.
15. Requirements for Display of Nationality and Registration Marks.
16. Display of Marks.
17. Size of Marks.
18. Location of Marks on Fixed-Wing Aircraft.
19. Location of Marks on Rotorcraft.
20. Location of Marks on Lighter-than-Air Aircraft.
21. Deviation for Size and Location of Marks.

22. Removal of Marks after Sale of Aircraft.
23. Identification Plates Required.
24. Removal, Replacement and Attachment of and Alteration of Information on Aircraft Identification Plates.
25. Director General to Amend Schedules.

SUBSIDIARY LEGISLATION

**THE CIVIL AVIATION REGULATIONS
-PART IV-
REGISTRATION AND MARKINGS**

MADE BY THE MINISTER IN ACCORDANCE WITH
SECTION 140 OF THE CIVIL AVIATION ACT

Citation. **1.** These Regulations may be cited as the Civil Aviation
Regulations – Part IV – Registration and Markings

Interpretation. **2.** In these regulations—

- (a) “Act” means the Civil Aviation Act;
- (b) “aircraft” means any machine that can derive support in the atmosphere from the reaction of the air other than the reaction of the air against the earth’s surface and used in a civilian capacity;
- (c) “Authority” means the Civil Aviation Authority of Guyana;
- (d) “CARICOM national” means the holder of a passport issued by a member State of the Caribbean Community who was born in the State issuing the passport;
- (e) “fireproof material” means a material capable of withstanding heat as well as or better than steel when the dimensions in both cases are appropriate for the specific purpose;
- (f) “glider” means a non-power driven heavier-than-air aircraft, deriving its lift

in flight chiefly from aerodynamic reactions on surfaces, which remain fixed under given conditions of flight;

- (g) “Guyana aircraft” means an aircraft registered in Guyana.
- (h) “heavier-than-air aircraft” means any aircraft deriving its lift by flight chiefly from aerodynamic forces;
- (i) “lighter-than-air aircraft” means any aircraft supported chiefly by its buoyancy in the air;
- (j) “Register” means the authorised list of aircraft registered in a state by the authority responsible for civil aviation in such state;
- (k) “State of Registry” means the State on whose register the aircraft is entered.

Applicability
of these
Regulations.

3. (1) Subject to sub-regulation (2), these Regulations shall apply to all Guyana civil aircraft in respect of registration and nationality and registration marks operated in or outside Guyana.

(2) These Regulations shall not apply to—

- (a) a hang glider;
- (b) a model aircraft;
- (c) a kite;
- (d) a non-powered parachute; or

[Subsidiary]

Civil Aviation Regulations – Part IV- Registration and Markings

- (e) an unmanned free balloon that is designed for a single launch in support of either scientific or weather research.

PART I REGISTRATION

Applicability
of Part I.

4. This Part shall apply to the registration of aircraft in Guyana except as specified as regulation 3(2).

Restriction on
Operation of
Aircraft in
Guyana.

5. A person shall not operate a civil aircraft in Guyana unless such aircraft has been registered in Guyana or under the laws of another Contracting State and meets the requirements of these Regulations.

Requirements
for
Application.

6. A person who wishes to register a civil aircraft in Guyana, shall—

- (a) apply to the Authority in the prescribed form;
- (b) be at least eighteen years of age;
- (c) pay the prescribed fee; and
- (d) meet the requirements of these Regulations.

Requirement for
Registration of
Aircraft.

7. (1) An application under regulation 6, may be made in respect of any aircraft which is owned by—

- (a) a CARICOM national;
- (b) a resident of Guyana;
- (c) a body incorporated within a member state of CARICOM; or
- (d) an individual or corporation of a foreign

State who transfers custody and control of an aircraft, in accordance with a lease agreement to the holder of an Air Operator Certificate authorised to operate that type of aircraft.

(2) Notwithstanding sub-regulation (1), a civil aircraft shall not be registered in Guyana where such aircraft appears on the civil aircraft Register of another State.

De-registration for Purpose of Registration.

8. Where a person wishes to register a civil aircraft in Guyana which is registered in another State he shall first have the aircraft de-registered before being registered in Guyana.

Issue of Certificate of Aircraft Registration.

9. (1) When the Director General is satisfied that an applicant under regulation 6 has met all the requirements of these Regulations, he may issue a Certificate of Registration in respect of such aircraft.

(2) The operator of a Guyana aircraft issued with a Certificate of Registration under sub-regulation (1) shall ensure that such Certificate of Registration is carried in the cockpit at all times.

Requirements after Certification of Aircraft Registration.

10. (1) Upon a Certificate of Registration being issued under regulation 9, the Director General shall—

- (a) notify the State of design, of the registration of the civil aircraft in Guyana; and
- (b) request all airworthiness directives addressing the aircraft, airframe, engine, propeller, appliance or component part and all applicable information which the State of Design deems necessary for the continuing airworthiness and safe operation of the civil aircraft.

[Subsidiary]*Civil Aviation Regulations – Part IV- Registration and Markings*

Requirements
for De-
registration of
an Aircraft.

11. (1) Where the operator of a Guyana aircraft wishes to de-register such aircraft, he shall—

(a) apply to the Authority in the prescribed form; and

(b) pay the prescribed fee.

(2) Where the purpose of an application is for the de-registration of a Guyana aircraft under sub-regulation (1), as to facilitate re-registration of such aircraft in another State, the Director General may, where he is satisfied that such State has agreed to re-register such aircraft, he may deregister the aircraft.

(3) Where the Authority has approved the de-registration of a Guyana aircraft in accordance with this regulation, the owner of such aircraft shall—

(a) return to the Authority, the Certificate of Aircraft Registration, issued by it in respect of that aircraft; and

(b) remove all nationality and registration markings on the Guyana aircraft relevant to such Certificate of Registration under paragraph (a).

Register of
Civil Aircraft.

12. (1) The Director General shall maintain a current Register of Guyana civil aircraft which shall contain records of each civil aircraft registered in Guyana as follows:

(a) the number of the Certificate of Aircraft Registration;

(b) the nationality and registration marks of the Guyana aircraft and the registration mark assigned to it by the Authority;

- (c) the name of the manufacturer of the Guyana aircraft and its type design;
- (d) the serial number of the Guyana aircraft; and
- (e) the name and address of every person who is entitled as owner to a legal interest in the aircraft or a share therein.

(2) Except for unmanned free balloon specified under regulation 3(2)(e), the Director General shall maintain a register of unmanned free balloon that contain—

- (a) the date, time and location of release;
- (b) the type of balloon; and
- (c) the name of the operator.

Conditions of
Registration.

13. The operator of a Guyana aircraft registered under these Regulations shall—

- (a) be subject to the laws governing civil aviation in Guyana; and
- (b) take all such directions from the Authority in respect of operating such Guyana aircraft in Guyana and in any other State.

PART II
NATIONALITY AND REGISTRATION MARKS

Applicability
of Part II.

14. This Part prescribes the requirements for the display of nationality and registration marks on Guyana aircraft.

Requirements
for Display of
Nationality and
Registration.

15. (1) A person shall not operate an aircraft in Guyana unless such aircraft displays the nationality and registration marks in accordance with this Part.

(2) A person shall not operate an aircraft registered in a foreign State, in Guyana unless such aircraft displays the nationality and registration marks in accordance with the laws of such foreign state.

(3) A person shall not place on any Guyana aircraft, a design, mark or symbol that modifies or confuses the nationality and registration marks required by these Regulations un-less otherwise authorised by the Authority.

(4) Nationality and registration marks under sub-regulation (1), shall—

(a) be painted on the outer surface of the aircraft or affixed by other means ensuring a similar degree of permanence;

(b) be in capital letters in Roman characters without ornamentation, and numbers shall be in Arabic numerals without ornamentation;

(c) be in clear and distinct contrast with the colour of the background;

(d) be legible;

(e) be kept clean and visible at all times; and

- (f) not be used where they may be interpreted as any of the symbols of the International Five Letter Code of Signal or Distress Codes.

Display of
Marks.

16. (1) The owner or operator of a Guyana aircraft shall ensure that the aircraft is marked with a group of characters representing —

- (a) the nationality mark of Guyana; and
- (b) the registration mark of the aircraft as a group of letters or numbers or a combination of letters and numbers assigned by the Authority.

(2) The nationality mark of Guyana under sub-regulation (1)(a) shall be “8R”.

(3) Where, as a result of a configuration of the Guyana aircraft, it is not possible to mark such Guyana aircraft in accordance with sub-regulation (1), the owner or operator where applicable shall apply to the Authority to use a different display.

(4) The nationality mark under sub-regulation (1) shall precede the registration mark.

(5) When the first character of the registration mark under sub-regulation (1) is a letter, it shall be preceded by a hyphen.

Size of Marks.

17. (1) The height of the nationality and registration marks under regulation 15 on the—

- (a) wings of aircraft shall be at least fifty centimetres (50 cm);

- (b) fuselage or equivalent structure and on the vertical tail surfaces shall be at least thirty centimetres (30 cm);
- (c) rotorcraft fuselage or equivalent structure and on the vertical tail surfaces shall be at least thirty centimetres (30 cm);
- (d) lighter-than-air and powered-lift aircraft shall be at least fifty centimetres (50 cm).

(2) The width of the characters of the nationality and registration marks under regulation 15 shall be two-thirds as wide as they are high.

(3) Notwithstanding sub-regulation (2)—

- (a) the number “1” or letter “I”, when used in a nationality or registration mark, shall be one-sixth as wide as it is high; and
- (b) the letters “M” and “W”, shall be as wide as they are high.

(4) The characters in the nationality and registration marks shall be formed by solid lines, one-sixth as thick as the character is high.

(5) The space between each character in the nationality and registration marks shall not be less than one-fourth of the character width; a hyphen shall be regarded as a character for this purpose.

(6) All nationality and registration marks required by this Part for fixed-wing aircraft shall have the same height, width, thickness and spacing on both sides of the aircraft.

Location of
Marks on
Fixed-Wing
Aircraft.

18. (1) Where a Guyana aircraft is a fixed-wing aircraft the operator shall ensure such aircraft has the required nationality and registration marks displayed on both sides of the vertical tail surfaces or both sides of the fuselage.

(2) Where the nationality and registration marks required under sub-regulation (1), occur on—

(a) the vertical tail surfaces, they shall be displayed horizontally on both surfaces of the single vertical tail or on the outer surfaces of the multi-vertical tail;

(b) the fuselage surfaces, be displayed horizontally on both sides of the fuselage between the trailing edge of the wing and the leading edge of the horizontal stabiliser.

(3) When the engine pods or other appurtenances are located in the area described in sub-regulation (2)(b), and are an integral part of the aircraft, the operator of the Guyana aircraft, may place the marks on those pods or appurtenances.

(4) An operator of a Guyana aircraft under this regulation shall ensure that the nationality and registration marks appear once on the lower surface of the wing structure, and shall be located on the left half of the lower surface of the wing structure unless they extend across the whole of the lower surface of the wing structure.

(5) As far as possible nationality and registration marks shall be located at equidistant points from the leading and trailing edges of the wing.

(6) An operator shall ensure that the tops of the letters

[Subsidiary]*Civil Aviation Regulations – Part IV- Registration and Markings*

and numbers contained in the nationality and registration marks shall be towards the leading edge of the wing.

Location of
Marks on
Rotorcraft.

19. Where a Guyana aircraft is a rotorcraft, the operator shall ensure that such rotorcraft has nationality and registration marks displayed horizontally on both surfaces of the fuselage, boom or tail, such that the rotorcraft can be readily identified by its markings.

Location of
Marks on
Lighter-than-
Air Aircraft.

20. (1) Where a Guyana aircraft is—

(a) an airship, the operator shall ensure that such airship has nationality and registration marks that appear on the—

(i) hull, located lengthwise on each side of the hull and on its upper surface on the line or symmetry; or

(ii) surface of the horizontal stabiliser, located on the right half of the upper surface and on the left half of the lower surface, with the tops of the letters and numbers toward the leading edge; and

(iii) surface of the vertical stabiliser, located on each side of the bottom half stabiliser, with the letters and numbers placed horizontally;

(b) a spherical balloon, other than an unmanned free balloon, the operator shall ensure that such spherical balloon has nationality and registration marks that appear in two places diametrically

[Subsidiary]*Civil Aviation Regulations – Part IV- Registration and Markings*

opposite each other and located near the maximum horizontal circumference of the balloon; or

- (c) a non-spherical balloon, other than unmanned free balloon, the operator shall ensure that such non-spherical balloon has nationality and registration marks that appear on each side, located near the maximum cross-section of the balloon immediately above either the rigging band or the points of attachment of the basket suspension cables.

(2) Side markings shall be visible from the side of the aircraft and from the ground.

Deviation for
Size and
Location of
Marks.

21. (1) Where only one of the two surfaces authorised for displaying the required nationality and registration marks meets the requirements for such marks under these regulations, the operator shall place the nationality and registration marks on that surface.

(2) Where neither surface authorised for displaying the required nationality and registration marks is large enough for displaying full-size nationality and registration marks, the Director General may approve marks as large as practicable for display on the larger of the two surfaces.

Removal of
Marks after
Sale of
Aircraft.

22. (1) When a Guyana aircraft is sold by the owner to a buyer who is not a citizen or other legal entity as prescribed in regulation 7, the owner shall de-register such aircraft in accordance with regulation 11, remove all Guyana nationality and registration marks before its delivery to the buyer and return the Certificate of Registration of such aircraft to the Director General.

[Subsidiary]

Civil Aviation Regulations – Part IV- Registration and Markings

(2) Where a Guyana aircraft is sold by the owner to a buyer who is a citizen or other legal entity as prescribed in regulation 7, the operator of such Guyana aircraft shall inform the Director General of such sale and change of ownership and return the Certificate of Registration of such aircraft to the Director General.

Identification
Plates
Required.

23. (1) A person shall not operate a Guyana aircraft unless there are two aircraft identification plates attached to such Guyana aircraft.

(2) Except as authorised by the Authority, one aircraft identification plate shall be attached onto the aircraft in the manner set out in the standards of the State of Manufacture of the aircraft and provide the following information:

- (a) name of the manufacturer;
- (b) model designation of the manufacturer as described in the type certificate or equivalent document;
- (c) type certificate number or equivalent designation; and
- (d) aircraft serial number.

(3) One aircraft identification plate shall be secured to the aircraft in a prominent position near the main entrance, or in the case of an unmanned free balloon other than that specified under regulation 3(2)(e), affixed conspicuously to the exterior of the payload and provides the following information:

- (a) nationality and registration marks; and
- (b) name and address of the registered owner.

[Subsidiary]

Civil Aviation Regulations – Part IV- Registration and Markings

(4) The information specified under sub-regulations (2) and (3) shall be permanently etched, engraved or stamped on the aircraft identification plates.

(5) The aircraft identification plates specified in this regulation shall be made of fireproof metal or other fireproof material of suitable physical properties.

Removal,
Replacement
and Attachment
of and
Alteration of
Information on
Aircraft
Identification
Plates.

24. (1) Except as specified in this regulation, a person shall not—

(a) remove or replace an aircraft identification plate;

(b) alter the information on an aircraft identification plate; or

(c) attach to a Guyana aircraft, an unauthorised aircraft identification plate.

(2) Notwithstanding sub-regulation 1(a) a person may, without authorisation from the Authority, remove an aircraft identification plate from a Guyana aircraft for the purpose of performing work on such aircraft.

(3) Where an aircraft identification plate is removed under sub-regulation (2), it shall be re-attached immediately after the work is completed in accordance with regulation 23.

(4) Where the operator of a Guyana aircraft modifies such Guyana aircraft that results in a change in the model designation as specified by the approved aircraft data, he shall submit an application to change the aircraft identification plate in writing to the Authority supported by justification for the request and evidence that establishes the identity of the aircraft.

[Subsidiary]

Civil Aviation Regulations – Part IV- Registration and Markings

(5) Where the Director General is satisfied that an application under sub-regulation (4) meets the requirements of these Regulations, he shall issue a written authorisation to the operator to install a new aircraft identification plate with the information specified in sub-regulation (7).

(6) Upon receipt of an authorisation to install a new aircraft identification plate on a Guyana aircraft under sub-regulation (5), the operator shall attach such aircraft identification plate with the information specified in sub-regulation (7), to the aircraft as near as possible to the location of the original aircraft identification plate before the next flight.

(7) The following information shall be permanently etched, engraved or stamped on the new aircraft identification plate specified in sub-regulation (4):

- (a) name of the manufacturer;
- (b) the new model designation described in the supplemental type certificate or equivalent document;
- (c) the supplemental Type Certificate number or equivalent designation; and
- (d) the Guyana aircraft serial number.

(8) Where the operator of a Guyana aircraft wishes to alter the information on the aircraft identification plate of such aircraft specified under sub-regulation 23(3), he shall submit an application to change the aircraft identification plate in writing to the Authority supported by justification for the request and evidence that establishes the identity of the aircraft.

(9) Where the Director General is satisfied that an application under sub-regulation (8), meets all the requirements of this regulation, he shall issue a written authorisation to the operator to install a new aircraft

identification plate with the new information.

(10) Upon receipt of an authorisation to install a new aircraft identification plate on a Guyana aircraft under sub- regulation (9), the operator shall attach such aircraft identification plate with the new information to the aircraft as near as possible to the location of the original aircraft identification plate before the next flight.

Director
General to
Amend
Schedules.

25. The Director General may, by Order amend any of the Schedules.